



Client Name: John Doe

Client DOB: 1/1/1999

Sample Number: Sample Report

Client Sex: Male

Referring Account MaxGen Labs


Lab Notes:

Sample Received:

Report Date: 11/10/2022

Accession:

CLIA Certification: 50D0965661 / COLA accredited





MaxGen Labs and US BioTek Laboratories' proprietary ELISA analyses are designed to assay specific IgG (subclasses 1, 2, 3, 4) antibodies. The classification of 0 to IV denotes the level of IgG antibodies detected through spectrophotometric analysis. The antigens on the panel are subject to change without prior notice. Reference ranges are updated periodically. This test was developed and its performance characteristics determined by US BioTek Laboratories, LLC, 16020 Linden Ave N, Shoreline, WA 98133, USA. Test methodology has not been cleared or approved by the U.S. Food and Drug Administration.





Referring Account: MaxGen Labs Client Name: John Doe Client DOB: 1/1/1999 Sample Number: Sample Report Client Sex: Male Report Date: 11/10/2022

What are Food Sensitivities

Food sensitivities are inflammatory responses of the immune system triggered by food allergens. Unlike food allergies, food sensitivity symptoms often occur hours or even days after exposure, making it difficult to pinpoint the specific offending food(s). This delayed reaction causes the majority of the 12 million people estimated to suffer from food sensitivities to be unaware and blame things like aging for their chronic symptoms. The foods identified within this report may streamline identifying triggering foods.

IgG is an antibody that can activate the pro-inflammatory complement system (complement cascade) associated with chronic inflammatory conditions. High levels of IgG (Moderate / High / Very High) overload receptors and drive the inflammatory reaction, while low levels of IgG (Very Low / Low) indicate tolerance.

IgG testing is the most commonly performed food sensitivity testing, and foods that are only high in IgG can often be safely re-introduced after a few months of abstinence. Retesting later can help determine higher priority foods for long-term avoidance.

Food Sensitivities vs Food Allergies

Food allergies can cause an immediate histamine reaction within minutes to hours of ingesting food. Food allergy is an immune system reaction. Many of these reactions can be life-threatening. These allergies are typically diagnosed at a younger age. Common food allergies include dairy (cow's milk), eggs, tree nuts, wheat, peanut, soy, and seafood. Food allergy affects an estimated 8% of children under age five and up to 4% of adults. While there's no cure, some children outgrow their food allergies as they get older, per the Mayo Clinic.

When you have a true food allergy, your immune system identifies a specific food or a substance in food as something causing harm. Your immune system then triggers cells to release an immunoglobulin E (IgE) antibody to neutralize the allergycausing food or food substance (the allergen).

Food sensitivities involve different immunoglobulin and do not produce life-threatening reactions. The symptoms typically associated with food sensitivities are longer lasting and slower to present, making them hard to identify in many cases.

Symptoms of Food Sensitivities

Brain Fog Bloating

Weight Gain

Mood Swings

Joint Pain/Inflammation

Constipation

Diarrhea

Bronchitis

Crohn's disease

Eczema

Migraines

GI distress

Stomach pain

Acne

ADD/ADHD

Autism

Sinus issues

Depression





Client Name: John Doe Client DOB: 1/1/1999 Client Sex: Male Referring Account: MaxGen Labs
Sample Number: Sample Report
Report Date: 11/10/2022

Very High Moderately High High Low **Cottage Cheese** Mozzarella Cheese Whey Yogurt Cream Cheese Casein Cheddar Cheese Cow's Milk Honey Beta-Lactoglobulin Buttermilk Horseradish





Client Name: John Doe Referring Account: MaxGen Labs
Client DOB: 1/1/1999 Sample Number: Sample Report
Client Sex: Male Report Date: 11/10/2022

Egg/Meat/Poultry

Grains/Legumes/Nuts Cont.

Egg/Meat/Poultry			Grains/Legumes/Nuts Cont.		
Candida Screen		Very Low - 0.09 mg/L	Canola Seed		Very Low - 0.37 mg/L
			Cashew Nut		Very Low - 0.68 mg/L
	Dairy / Egg		Chestnut		Very Low - 0.34 mg/L
Blue Cheese		Very Low - 0.95 mg/L	Chia Seed		Very Low - 0.42 mg/L
Cottage Cheese		Very High - 4.5 mg/L	Chickpea		Very Low - 0.65 mg/L
Mozzarella Cheese		High - 3.4 mg/L	Coconut		Very Low - 0.25 mg/L
Swiss Cheese		Very Low - 0.99 mg/L	Cola Nut / Kola Nut		Very Low - 0.13 mg/L
Sheep's Milk		Very Low - 0.68 mg/L	Corn		Very Low - 0.2 mg/L
Yogurt		Low - 1.82 mg/L	Fava Bean		Very Low - 0.25 mg/L
Casein		High - 3.4 mg/L	Fenugreek Seeds		Very Low - 0.13 mg/L
Cheddar Cheese		Low - 1.15 mg/L	Gingko Nut		Very Low - 0.14 mg/L
Cow's Milk		High - 3.2 mg/L	Gliadin		Very Low - 0.34 mg/L
Goat 's Milk		Very Low - 0.77 mg/L	Gluten		Very Low - 0.23 mg/L
Whey		Moderate - 2.17 mg/L	Green Bean		Very Low - 0.19 mg/L
Buttermilk		High - 3.4 mg/L	Green Pea		Very Low - 0.42 mg/L
Cream Cheese		Moderate - 2.2 mg/L	Hazelnut		Very Low - 0.16 mg/L
Beta-Lactoglobulin		Low - 1.8 mg/L	Kidney Bean		Very Low - 0.2 mg/L
Chicken Egg White		Very Low - 0.43 mg/L	Lentil		Very Low - 0.54 mg/L
Chicken Egg Yolk		Very Low - 0.28 mg/L	Lima Bean		Very Low - 0.35 mg/L
Duck Egg Whole		Very Low - 0.3 mg/L	Macadamia Nut		Very Low - 0.73 mg/L
	_1		Malt		Very Low - 0.49 mg/L
	Meat/Poultr	ry	Millet		Very Low - 0.42 mg/L
Beef		Very Low - 0.34 mg/L	Mung Bean		Very Low - 0.42 mg/L
Buffalo		Very Low - 0.16 mg/L	Navy Bean / White Bean		Very Low - 0.19 mg/L
Chicken		Very Low - 0.16 mg/L	Oat		Very Low - 0.37 mg/L
Duck		Very Low - 0.42 mg/L	Peanut		Very Low - 0.81 mg/L
Goose		Very Low - 0.4 mg/L	Pecan		Very Low - 0.26 mg/L
2000					
		Very Low - 0.07 mg/L	Pine Nut		Very Low - 0.43 mg/L
Lamb		Very Low - 0.07 mg/L Very Low - 0.25 mg/L	Pine Nut Pinto Bean		Very Low - 0.43 mg/L Very Low - 0.22 mg/L
Lamb Pork		,			, ,
Lamb Pork Rabbit		Very Low - 0.25 mg/L	Pinto Bean		Very Low - 0.22 mg/L
Lamb Pork Rabbit Turkey		Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L	Pinto Bean Pistachio Nut Poppy Seed		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L
Lamb Pork Rabbit Turkey		Very Low - 0.25 mg/L Very Low - 0.38 mg/L	Pinto Bean Pistachio Nut		Very Low - 0.22 mg/L Very Low - 0.46 mg/L
Lamb Pork Rabbit Turkey Venison	ains/Legumes	Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L Very Low - 0.03 mg/L	Pinto Bean Pistachio Nut Poppy Seed Pumpkin Seeds Quinoa		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L Very Low - 0.44 mg/L Very Low - 0.5 mg/L
Lamb Pork Rabbit Turkey Venison Gr	rains/Legumes	Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L Very Low - 0.03 mg/L	Pinto Bean Pistachio Nut Poppy Seed Pumpkin Seeds		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L Very Low - 0.44 mg/L
Lamb Pork Rabbit Turkey Venison Gr Adzuki Bean / Red Bean	ains/Legumes	Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L Very Low - 0.03 mg/L /Nuts Very Low - 0.46 mg/L	Pinto Bean Pistachio Nut Poppy Seed Pumpkin Seeds Quinoa Rye		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L Very Low - 0.44 mg/L Very Low - 0.5 mg/L Very Low - 0.41 mg/L
Lamb Pork Rabbit Turkey Venison Gr Adzuki Bean / Red Bean	ains/Legumes	Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L Very Low - 0.03 mg/L /Nuts	Pinto Bean Pistachio Nut Poppy Seed Pumpkin Seeds Quinoa Rye Safflower Seed		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L Very Low - 0.44 mg/L Very Low - 0.5 mg/L Very Low - 0.41 mg/L Very Low - 0.02 mg/L
Lamb Pork Rabbit Turkey Venison Gr Adzuki Bean / Red Bean Almond Amaranth	ains/Legumes	Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L Very Low - 0.03 mg/L /Nuts Very Low - 0.46 mg/L Very Low - 0.2 mg/L	Pinto Bean Pistachio Nut Poppy Seed Pumpkin Seeds Quinoa Rye Safflower Seed Sorghum		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L Very Low - 0.44 mg/L Very Low - 0.5 mg/L Very Low - 0.41 mg/L Very Low - 0.02 mg/L Very Low - 0.26 mg/L
Lamb Pork Rabbit Turkey Venison Gr Adzuki Bean / Red Bean Almond Amaranth Barley	ains/Legumes	Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L Very Low - 0.03 mg/L /Nuts Very Low - 0.46 mg/L Very Low - 0.2 mg/L Very Low - 0.27 mg/L Very Low - 0.2 mg/L Very Low - 0.2 mg/L	Pinto Bean Pistachio Nut Poppy Seed Pumpkin Seeds Quinoa Rye Safflower Seed Sorghum Soybean		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L Very Low - 0.44 mg/L Very Low - 0.5 mg/L Very Low - 0.41 mg/L Very Low - 0.02 mg/L Very Low - 0.26 mg/L Very Low - 0.47 mg/L
Lamb Pork Rabbit Turkey Venison Gr Adzuki Bean / Red Bean Almond Amaranth Barley Black-Eyed Pea	ains/Legumes	Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L Very Low - 0.03 mg/L /Nuts Very Low - 0.46 mg/L Very Low - 0.2 mg/L Very Low - 0.27 mg/L	Pinto Bean Pistachio Nut Poppy Seed Pumpkin Seeds Quinoa Rye Safflower Seed Sorghum Soybean Spelt		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L Very Low - 0.44 mg/L Very Low - 0.5 mg/L Very Low - 0.41 mg/L Very Low - 0.02 mg/L Very Low - 0.26 mg/L Very Low - 0.47 mg/L Very Low - 0.37 mg/L
Lamb Pork Rabbit Turkey Venison Gr Adzuki Bean / Red Bean Almond Amaranth Barley Black-Eyed Pea Bran	rains/Legumes	Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L Very Low - 0.03 mg/L /Nuts Very Low - 0.46 mg/L Very Low - 0.2 mg/L Very Low - 0.27 mg/L Very Low - 0.2 mg/L Very Low - 0.59 mg/L	Pinto Bean Pistachio Nut Poppy Seed Pumpkin Seeds Quinoa Rye Safflower Seed Sorghum Soybean Spelt Teff		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L Very Low - 0.44 mg/L Very Low - 0.5 mg/L Very Low - 0.41 mg/L Very Low - 0.02 mg/L Very Low - 0.26 mg/L Very Low - 0.47 mg/L Very Low - 0.37 mg/L Very Low - 0.3 mg/L Very Low - 0.3 mg/L
Lamb Pork Rabbit Turkey Venison Gr Adzuki Bean / Red Bean Almond Amaranth Barley Black-Eyed Pea Bran		Very Low - 0.25 mg/L Very Low - 0.38 mg/L Very Low - 0.11 mg/L Very Low - 0.03 mg/L /Nuts Very Low - 0.46 mg/L Very Low - 0.2 mg/L Very Low - 0.27 mg/L Very Low - 0.2 mg/L Very Low - 0.59 mg/L Very Low - 0.35 mg/L	Pinto Bean Pistachio Nut Poppy Seed Pumpkin Seeds Quinoa Rye Safflower Seed Sorghum Soybean Spelt Teff Walnut		Very Low - 0.22 mg/L Very Low - 0.46 mg/L Very Low - 0.46 mg/L Very Low - 0.44 mg/L Very Low - 0.5 mg/L Very Low - 0.41 mg/L Very Low - 0.02 mg/L Very Low - 0.26 mg/L Very Low - 0.47 mg/L Very Low - 0.47 mg/L Very Low - 0.37 mg/L Very Low - 0.3 mg/L Very Low - 0.36 mg/L





Client Name: John Doe Referring Account: MaxGen Labs
Client DOB: 1/1/1999 Sample Number: Sample Report
Client Sex: Male Report Date: 11/10/2022

Fish/Shellfish Vegetables Cont.

	Fishly Sind	51111311	vegetables Cont.		
Anchovy		Very Low - 0.78 mg/L	Cabbage		Very Low - 0.11 mg/L
Bass		Very Low - 0.01 mg/L	Carrot		Very Low - 0.65 mg/L
Carp		Very Low - 0.07 mg/L	Cauliflower		Very Low - 0.16 mg/L
Catfish		Very Low - 0.46 mg/L	Celery		Very Low - 0.22 mg/L
Clam		Very Low - 0 mg/L	Chard		Very Low - 0.15 mg/L
Cod		Very Low - 0.35 mg/L	Chive		Very Low - 0.05 mg/L
Crab		Very Low - 0.2 mg/L	Cucumber		Very Low - 0.19 mg/L
Crayfish		Very Low - 0.08 mg/L	Eggplant		Very Low - 0.31 mg/L
Eel		Very Low - 0.08 mg/L	Endive		Very Low - 0.74 mg/L
Flounder		Very Low - 0.13 mg/L	Garlic		Very Low - 0.43 mg/L
Haddock		Very Low - 0.02 mg/L	Green Bell Pepper		Very Low - 0.55 mg/L
Halibut		Very Low - 0 mg/L	Horseradish		Low - 1.49 mg/L
Herring		Very Low - 0.02 mg/L	Kale		Very Low - 0.2 mg/L
Lobster		Very Low - 0.32 mg/L	Kelp		Very Low - 0.69 mg/L
Mackerel		Very Low - 0.3 mg/L	Kohlrabi		Very Low - 0.18 mg/L
Mussel		Very Low - 0.21 mg/L	Leek		Very Low - 0.15 mg/L
Octopus		Very Low - 0.21 mg/L	Lettuce		Very Low - 0.26 mg/L
Oyster		Very Low - 0.13 mg/L	Lotus Root		Very Low - 0.22 mg/L
Perch		Very Low - 0 mg/L	Okra		Very Low - 0.2 mg/L
Pike		Very Low - 0.04 mg/L	Onion		Very Low - 0.21 mg/L
Red Snapper		Very Low - 0.54 mg/L	Pumpkin		Very Low - 0.22 mg/L
Salmon		Very Low - 0.15 mg/L	Radish / Daikon		Very Low - 0.1 mg/L
Sardine		Very Low - 0.05 mg/L	Rhubarb		Very Low - 0 mg/L
Scallop		Very Low - 0.16 mg/L	Spinach		Very Low - 0.15 mg/L
Sea Urchin		Very Low - 0.01 mg/L	Squash		Very Low - 0.17 mg/L
Shrimp		Very Low - 0.74 mg/L	Sweet Potato		Very Low - 0.4 mg/L
Sole		Very Low - 0.08 mg/L	Tomato		Very Low - 0.52 mg/L
Squid		Very Low - 0.08 mg/L	Turnip		Very Low - 0.27 mg/L
Swordfish		Very Low - 0.17 mg/L	Wasabi		Very Low - 0.31 mg/L
Tilapia		Very Low - 0.43 mg/L	White Potato		Very Low - 0.3 mg/L
Trout		Very Low - 0.15 mg/L	Zucchini Squash		Very Low - 0.2 mg/L
Tuna		Very Low - 0.18 mg/L		<u>.</u>	•

Fruits Vegetables Apple Very Low - 0.47 mg/L Arrowroot Apricot Very Low - 0.38 mg/L Very Low - 0.27 mg/L Artichoke Banana Very Low - 0.04 mg/L Very Low - 0.25 mg/L Very Low - 0.04 mg/L **Asparagus** Blackberry Very Low - 0.19 mg/L Black/Red Currant Very Low - 0.23 mg/L Avocado -**Bamboo Shoot** Very Low - 0 mg/L Blueberry Very Low - 0.23 mg/L Beet Very Low - 0.24 mg/L Cantaloupe Very Low - 0.2 mg/L Broccoli / Brussel Sprouts Very Low - 0.17 mg/L Very Low - 0.35 mg/L Cherry **Burdock Root** Very Low - 0.18 mg/L Cranberry Very Low - 0.39 mg/L





Client Name: John Doe Referring Account: MaxGen Labs
Client DOB: 1/1/1999 Sample Number: Sample Report
Client Sex: Male Report Date: 11/10/2022

Fruits Cont. Misc./Herbs/Spices

	Fruits Cont.		Misc./Herbs/Spices		
Date		Very Low - 0.37 mg/L	Bay Leaf		Very Low - 0.31 mg/L
Elderberry		Very Low - 0.37 mg/L	Black Pepper		Very Low - 0.24 mg/L
Fig		Very Low - 0.46 mg/L	Black Tea		Very Low - 0.59 mg/L
Gogiberry		Very Low - 0.24 mg/L	Button Mushroom		Very Low - 0.28 mg/L
Gooseberry		Very Low - 0.46 mg/L	Cane Sugar		Very Low - 0.36 mg/L
Grapefruit		Very Low - 0.23 mg/L	Caraway Seed		Very Low - 0.59 mg/L
Grape		Very Low - 0.27 mg/L	Chili Pepper		Very Low - 0.79 mg/L
Guava		Very Low - 0.31 mg/L	Cinnamon		Very Low - 0.32 mg/L
Honeydew		Very Low - 0.05 mg/L	Clove		Very Low - 0.45 mg/L
Jackfruit		Very Low - 0.53 mg/L	Cocoa Bean (Chocolate)		Very Low - 0.39 mg/L
Kiwi		Very Low - 0.53 mg/L	Coffee		Very Low - 0.32 mg/L
Kumquat/Cumquat		Very Low - 0.41 mg/L	Coriander		Very Low - 0.4 mg/L
Lemon		Very Low - 0.41 mg/L	Curry Powder		Very Low - 0.51 mg/L
Lime		Very Low - 0.24 mg/L	Dill		Very Low - 0.18 mg/L
Lychee/Litchi		Very Low - 0.27 mg/L	Fennel Seed		Very Low - 0.52 mg/L
Mango		Very Low - 0.6 mg/L	Flaxseed		Very Low - 0.09 mg/L
Mangosteen		Very Low - 0.05 mg/L	Ginger		Very Low - 0.25 mg/L
Monk Fruit		Very Low - 0.53 mg/L	Ginseng		Very Low - 0.33 mg/L
Mulberry		Very Low - 0.53 mg/L	Green Tea		Very Low - 0.28 mg/L
Olive		Very Low - 0.45 mg/L	Hemp		Very Low - 0.78 mg/L
Orange		Very Low - 0.48 mg/L	Honey		Moderate - 2.11 mg/L
Papaya		Very Low - 0.49 mg/L	Hops		Very Low - 0.29 mg/L
Passion Fruit		Very Low - 0.45 mg/L	Licorice		Very Low - 0.21 mg/L
Peach		Very Low - 0.21 mg/L	Mustard		Very Low - 0.31 mg/L
Pear		Very Low - 0.37 mg/L	Oregano		Very Low - 0.67 mg/L
Persimmon		Very Low - 0.35 mg/L	Paprika		Very Low - 0.49 mg/L
Pineapple		Very Low - 0.25 mg/L	Parsley		Very Low - 0.37 mg/L
Plum		Very Low - 0.31 mg/L	Peppermint		Very Low - 0.31 mg/L
Prune		Very Low - 0.25 mg/L	Rosemary		Very Low - 0.5 mg/L
Pomegranate		Very Low - 0.31 mg/L	Sage		Very Low - 0.35 mg/L
Raspberry		Very Low - 0.28 mg/L	Sesame Seed		Very Low - 0.3 mg/L
Strawberry		Very Low - 0.48 mg/L	Shiitake Mushroom		Very Low - 0.93 mg/L
Tangerine		Very Low - 0.15 mg/L	Stevia		Very Low - 0.21 mg/L
Watermelon		Very Low - 0.43 mg/L	Sugar, Maple		Very Low - 0.93 mg/L
			Sunflower Seed		Very Low - 0.65 mg/L
Misc./Herbs/Spices			Sweet Marjoram		Very Low - 0.65 mg/L
Allspice		- mg/L	Tarragon		Very Low - 0.15 mg/L
Aloe Vera		- mg/L	Thyme		Very Low - 0.25 mg/L
Anise		- mg/L	Turmeric		Very Low - 0.13 mg/L
Baker's / Brewer's Yeast		Very Low - 0.45 mg/L	Vanilla		Very Low - 0.25 mg/L
Basil		Very Low - 0.38 mg/L	Yerba Mate		Very Low - 0.5 mg/L